



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z*\$ z'z' D:

	kw		kw	Amp
480/277	125,00		113,00	170,00
380/220	105,00		96,00	182,00
208/120	115,00		105,00	364,00

fP GDE GC ;) &

fDF D% \$! % %& GC " \$(** z&(GC

Standard Specifications

z

fi ! E

z

z

ALTERNATOR

D; A Z'5JF

fi E

fi " E

fi " !" \$ E

TRANSFER SWITCH


!

Manufacturer	John Deere		
Model	6068TF220		
		% \$ \$	"# "
		137,00 kw[HP]	
	L	6,800	
	"	106x127	
	fl # Ł	"# "	1800
	fl "Ł	L	17,00
		L	35,00
AbsorbedAirDischargeReSourceKey.Text	' # "	9,20	
	' # "	26,00	
	° C	600,00	
		12 V d.c.	
	Load	%\$ \$i	'+)
	# ") \$i	
		32,10	24,80 16,50

		Stamford
		UC1274D
	Hz	60
	kw	117,00
7 cg'		0,80
		3
	fl Ł	480/277
	A	176,00
Temperature		H

		fl "Ł		fl "Ł	
	"	"	"	"	L
AJD125-6	1440,00	2300,00	1150,00	1519,00	380,00
		fl "Ł		fl "Ł	
	"	"	"	"	L
AK 50	1840	3400	1217	1938	380

D * \$ & !



- 1 A U]b'gHh g'X]gd'Unf
- 2 8]gd'UmigWc''Vi Hrcb"
- 3 DU[Yf]bZcfa UH]cbŁ'Vi Hrcb"
- 4 7 ca a cb'U'Ufa ']bX]VUrcf"
- 5 GHh g'@98fj"
- 6 CdYfUH]cb'gY'YV]b['Vi Hrcbg"

- 1 8G9ža cXY**&&\$5i hc'A U]bg: U]i fy'Včbfc`a cXi `Y"
6UHYfmVXUF[Yf`jodi h% , !&* (j c'hžci hdi h`&+ž`J `) '5 f&(J ěcf% ž J c'h) 5 f&J ě
9a Yf[YbVhřhd`di g\ Vi hčb`UbX`Z gYg`Zcf`Včbfc`WfVW`jhg`
 - 2 7ca dcbYbřj`jbgfU`YX`j`b`g\YYhgHY`YbWčgi fy"D\cgd\UHY`VX`Ya`jW`ždfY!VčUhb[`cZghY`dfcj`jXyg`Včfcg]cb
fyg]ghUbhgi fZjW`Dc`mYgYfVča dcg]HY`dck XYf`řcdVčUhcfa g` \ [`cgg`UbX`Yi`řYa`Y`mXi`fUV`Y`Z]b]g\`@cW`UV`Y`
UbX`\]b[YX`dUbY`Xccf`dfcj`jXyg`YUgmUWVW`gg`hc`Vča`dcbYbřj`
 - 3 7cbfc`dUbY`j]g`a`ci`bHY`cb`VUgYZUa`Y`k`j]h`ghY`ghUbx`"@cW]HY`UhH`Y`f][`hg]XY`cZ`H`Y`[`YbYfUčf`gYhřK` \Yb`nci`
`cc`_`UhH`Y` ; Yb`GYH`Zca`5`řYfbUčřk`
 - 4 H\Y`8G9`*`&&\$`j`g`U`ghUbxUfX`Včbfc`a`cXi`Y`Zcf`ci`f`[`YbYfUčf`gYhg`i`d`řc`&&\$`_`J`5`UbX`ih`Ug`VYyb`XYg][`bYX`řc`
ghUfhUbx`ghcd`X]YgY`UbX`[`Ug`[`YbYfUčf`gYhg`H\Y`8G9`*`&&\$`a`cXi`Y`Ug`VYyb`XYg][`bYX`řc`a`cb]řcf`[`YbYfUčf`
Z]Yei`YbVřž`c`řZ`W`řYbřZ`Yb[`]bY`c`]`dfYggi`řYžVčc`UbhřYa`dYfUhi`řY`fi`bb]b[` \ci`fg`UbX`VUHYfmj`c`řg`A`cXi`Y`
a`cb]řcf`g`H`Y`a`U]bg`gi`dd`mi`UbX`gk`j]W`cj`Yf`řc`H`Y`[`YbYfUčf`k` \Yb`H`Y`a`U]bg`dck`Yf`Z]g`"H\Y`8G9`*`&&\$`U`gc`
]bX]W]HY`g`cdYfU]cbU`ghU`h`g`UbX`Z]i`hVčbX]j]cbgž`5i`řca`U]W]m`g`i`ř]b[`Xck`b`H`Y` ; Yb`GYH`UbX`[`j`]b[`ři`Y`Z]řghi`d`
Z]i`hVčbX]j]cb`cZ` ; Yb`GYH`Z]i`řY`H\Y`@7`8`X]gd`Um]bX]W]HY`g`H`Y`Z]i`ř`
- A`j]WčdfcW`ggcf`Včbfc`YX`
@7`8`X]gd`Uma`U`_`Yg`]bZ`fa`U]hčb`YUgmřc`řYUX`
(!`]bYž`*`(`1`%`&`d])`Y`X]gd`Umř`
5i`řca`U]hW`mřfUbgZřfg`VYřk`YYb`a`U]bg`ři`ř]mřc`UbX`[`YbYfUčf`dck`Yf`
A`Ubi`U`dfc[`řUa`a`]b[`cb`ZcbhdUbY`"
I`gYř]Z]YbX`mgYři`d`UbX`Vi`hčb`Učřc`ř`
F`Ya`cH`ghUřř`
9j`Ybh`c`[`[`]b[`řf`řg`ck`]b[`XUH`UbX`řja`Y`
7cbfc`g`Ghcd`#`YgYřZ`A`Ubi`U`ž`5i`hčZ`HYgřZ`GHUřřZ`Vi`hčbg`"5b`UXX]j]cbU`di`g` \ Vi`hčb`bYi`hč`H`Y`@7`8`X]gd`Um]g`
i`gYX`řc`gVčc`H`řci`[` \`H`Y`a`cXi`Y`gřia`Yřřf]b[`X]gd`Umřg`


9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b'ha Y"
6UHYfmj c'lg"
7cbZ[i fUV'Y'ha]b["
; 9B9F5HCF
J c'U[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A5-BG
J c'U[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\ j c'U[Y"
: U] 'hc'ghcd"
@ck #][\ [YbYfUhc'f j c'U[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc'ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f c'U[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh'

: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z
dfYggi fY'Z dYfVW'bhU[Y f'k Ufb]b[#]i f'Xck b# 'YVW'VW' f'f'dL'
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7 'hc
V'c'UbhY'a cXi 'Y k]h 'I G6 V'c'UbhY'a dYfUhi fY'Z

9'YVW'VW' 'GUZYhm#9A 7 'V'a dUfV']hm6G'9B '* \$-) \$
9'YVW'VW' 'Vi g]bYgg' 'Yei]da Ybh'
6G'9B '*%\$ \$! *! & 9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$ \$! *! ('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h 'gk]hVW]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug \] [\ YZ]VW'VW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfZ% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , ' ! &* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'&(\$) #&(\$) VUf[Yf\Ug \] [\ YZ]VW'VW'cb[']Z'Z'ck ZU]i fY'fUfY'Z] [\ hk Y] [\ hUbX'ck \ YUhfUX]UfYX]b
UWV'cfXUbW'k]h ']bYUf'U'fYbUf]j Yg' H\Y'VUf[Yf]g'Z]hYX'k]h 'U'dfchVW]cb X]cXY'UV'cgg'hY'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h 'F: =Z]hYf'hc'fYXi VV'Y'VW'VW'bc]gY'fUX]UfYX
Zca 'hY'XYj]VW'; Uj Ub]W' m]gc'UfYX]bdi hUbX'ci hdi h]m]VW'm(_J 'Zcf \] [\ fY']UV]]m'



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam metarial
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380