

z*\$' z'%'\$D:

	"	"	"	"	Amp
480/277		240,00		220,00	330,00
380/220		220,00		200,00	380,00
208/120		240,00		220,00	763,00

Standard Specifications


ALTERNATOR

TRANSFER SWITCH

Manufacturer		Cummins		
Model		6LTAA8,9-G2		
	L	8,90		
	"	114x144		
		17,0:1		
	fl # Ł	"# "	1800	
	fl "Ł	L	24,00	
		L	35,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	22,00		
	' # "	58,00		
	° C	520		
		24 V d.c.		
	Load	%\$!i	'+) i) \$i
	# "			
		61,00	49,00	33,00

		Aksa
		AK4200
	Hz	60
	"	220
7 cg'		0,80
		3
	fl Ł	480/277
	A	330
Temperatur		H

		fl "Ł		fl "Ł	
	"	"	"	"	L
APD 240-6	2050	2600	1250	1700	470
		fl "Ł		fl "Ł	
	"	"	"	"	L
APD 240-6	2600	3650	1320	2040	470



1

'8G9ž ' + ' &\$ž

) 5ž&&\$#&(\$

2

3

4

'8G9+' &\$
&)' ž

fi

"'8G9+' &\$

'8G9+' &\$

ž

% &I '* (

žFG&' &žFG(,) ž

ž

f@z@Bl
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#

#

6G'9B'*\$-\$)'\$

6G'9B'*\$\$\$!*!&

6G'9B'*\$\$\$!*!(

f&%) +L

f&)(, L

f&%) \$L

GA 8

!&(

z

%, !&*\$

&(\$)

z

z

5D8 & (\$! * !'



Technical specifications and descriptions in Turkish, including details about the generator's performance, dimensions, and components. The text is partially obscured by a large watermark.

	"	1320
fı "ı	"	3650
fı "ı	"	2040
		470